# **GENERATOR SET, DIESEL ENGINE, 60kW, 400Hz**

NSN: 6115-01-274-7395 TAMCN: B1016 ID: 09245A



### **Functional Description**

The 60kW Generator Set, MEP-816A, is a fully enclosed, self-contained, skid-mounted, portable unit. It is equipped with controls, instruments, and accessories necessary for operation as a single unit or in parallel with another unit of the same class and mode. The generator set consists of a diesel engine, brushless generator, excitation system, speed governing system, fuel system, 24VDC starting system, control system, and fault system. The generator set is designed to be used with any piece of equipment requiring a medium source of AC power and operates in a "Hot and Basic" climatic condition range of -25°F to +120°F. This generator set is mobile and requires forklift support.

#### **Technical Description**

Generator Set		Fuel	
Manufacturer:	MCII	Fuel Capacity (Gal):	43
Model:	MEP-816A	Fuel Consumption (GPH):	5.37
Volts:	120/208/240/416	Fuel Requirement:	Diesel/JP-8
Frequency (Hz):	400	·	
Speed (RPM):	2000	<u>Dimensions</u>	
Phase:	3	Length (in):	87
		Width (in):	35.7
<u>Engine</u>		Height (in):	59
Manufacturer:	John Deere	Weight (lb):	
Model:	6059T	Dry:	3606
Type:	4 Cycle	Wet (8 hrs fuel,	
		coolant, & POLs):	4042
Cylinders:	6	Volume (ft <sup>3</sup> ):	103
Displacement:	359 in <sup>3</sup> (5.9L)		
Horsepower:	134 @		
-	2000 RPM	Aural Signature	
Compression:	17.8:1	Audio Rating:	72dBA @ 7
			meters
Replaced Items	MEP-115.		
<u>Transportability</u>	All variants of the US	MC M353 trailer.	

# **GENERATOR SET, DIESEL ENGINE, 60kW, 400Hz**

NSN: 6115-01-462-0292 TAMCN: B1016 ID: 09245B



### **Functional Description**

The 60kW Generator Set, MEP-816B, is a fully enclosed, self-contained, skid-mounted, portable unit. It is equipped with controls, instruments, and accessories necessary for operation as a single unit or in parallel with another unit of the same class and mode. The generator set includes a diesel engine, brushless generator, cooling system, excitation system, governing system, fuel system, 24VDC starting system, DCS, and fault system. The generator set is designed to be used with any piece of equipment requiring a medium source of AC power and operates in a "Hot and Basic" climatic condition range of -25°F to +120°F. This generator set is mobile and requires forklift support.

### **Technical Description**

Generator Set		<u>Fuel</u>	
Manufacturer:	MCII	Fuel Capacity (Gal):	43
Model:	MEP-816B	Fuel Consumption (GPH):	5.37
Volts:	120/208/240/416	Fuel Requirement:	Diesel/JP-8
Frequency (Hz):	400	·	
Speed (RPM):	2000	<u>Dimensions</u>	
Phase:	3	Length (in):	87
		Width (in):	35.7
<u>Engine</u>		Height (in):	59
Manufacturer:	John Deere	Weight (lb):	
Model:	6068TF151	Dry:	3603
Туре:	4 Cycle	Wet (8 hrs fuel,	
		coolant, & POLs):	4042
Cylinders:	6	Volume (ft <sup>3</sup> ):	103
Displacement:	359 in <sup>3</sup> (5.9L)		
Horsepower:	134 @		
	2000 RPM	Aural Signature	
Compression:	17.0:1	Audio Rating:	72dBA @ 7
			meters
Replaced Items	MEP-115A, MEP-816A.		
Transportability	All variants of the USMC	M353 trailor	
rransportability	All variables of the Osivic	, เพอออ แฉแซเ.	

# **GENERATOR SET, DIESEL ENGINE, 60kW, 60Hz**

NSN: 6115-01-274-7390 TAMCN: B1021 ID: 09244A



### **Functional Description**

The 60kW Generator Set, MEP-806A, is a fully enclosed, self-contained, skid-mounted, portable unit. It is equipped with controls, instruments, and accessories necessary for operation as a single unit or in parallel with another unit of the same class and mode. The generator set consists of a diesel engine, brushless generator, excitation system, speed governing system, fuel system, 24VDC starting system, control system, and fault system. The generator set is designed to be used with any piece of equipment requiring a medium source of AC power and operates in a "Hot and Basic" climatic condition range of -25°F to +120°F. This generator set is mobile and requires forklift support.

#### **Technical Description**

Generator Set		Fuel	
Manufacturer:	MCII	Fuel Capacity (Gal):	43
Model:	MEP-806A	Fuel Consumption (GPH):	5.06
Volts:	120/208/240/416	Fuel Requirement:	Diesel/JP-8
Frequency (Hz):	50/60	·	
Speed (RPM):	1800	<u>Dimensions</u>	
Phase:	3	Length (in):	87
		Width (in):	35.7
<u>Engine</u>		Height (in):	59
Manufacturer:	John Deere	Weight (lb):	
Model:	6059T	Dry:	3556
Type:	4 Cycle	Wet (8 hrs fuel,	
		coolant, & POLs):	3992
Cylinders:	6	Volume (ft <sup>3</sup> ):	103
Displacement:	359 in <sup>3</sup> (5.9L)		
Horsepower:	134 @		
	1800 RPM	Aural Signature	
Compression:	17.8:1	Audio Rating:	70dBA @ 7
			meters
Replaced Items	MEP-006A.		
<u>Transportability</u>	All variants of the US	MC M353 trailer.	

# **GENERATOR SET, DIESEL ENGINE, 60kW, 60Hz**

NSN: 6115-01-462-0291 TAMCN: B1021 ID: 09244B



#### **Functional Description**

The 60kW Generator Set, MEP-806B, is a fully enclosed, self-contained, skid-mounted, portable unit. It is equipped with controls, instruments, and accessories necessary for operation as a single unit or in parallel with another unit of the same class and mode. The generator set includes a diesel engine, brushless generator, cooling system, excitation system, governing system, fuel system, 24VDC starting system, DCS, and fault system. The generator set is designed to be used with any piece of equipment requiring a medium source of AC power and operates in a "Hot and Basic" climatic condition range of -25°F to +120°F. This generator set is mobile and requires forklift support.

#### **Technical Description**

**Transportability** 

Generator Set		Fuel	
Manufacturer:	MCII	Fuel Capacity (Gal):	43
Model:	MEP-806B	Fuel Consumption (GPH):	5.06
Volts:	120/208/240/416	Fuel Requirement:	Diesel/JP-8
Frequency (Hz):	50/60	•	
Speed (RPM):	1800	<u>Dimensions</u>	
Phase:	3	Length (in):	87
		Width (in):	35.7
<b>Engine</b>		Height (in):	59
Manufacturer:	John Deere	Weight (lb):	
Model:	6068TF151	Dry:	3556
Type:	4 Cycle	Wet (8 hrs fuel, coolant, & POLs):	3992
Cylinders:	6	Volume (ft <sup>3</sup> ):	103
Displacement:	359 in <sup>3</sup> (5.9L)	. ,	
Horsepower:	134@1800 RPM	Aural Signature	
Compression:	17.0:1	Audio Rating:	70dBA @ 7 meters
placed Items	MEP-006A, MEP-806A.		

All variants of the USMC M353 trailer.